

SAFETY DATA SHEET

(Conforms to EC Directive 91/155/EEC)

Date of first Issue: June 1993
Date: 18th. January 2003

Revision Number: 1

1. Identification **Neatcut VC3** **Code: Neatcut VC3**
Commercial name: Neatcut VC3-----
Emergency Telephone Number: **01246 823007**
-----2. **Composition:** A blend of refined mineral oil and performance enhancing additives.

CAS Registry number: None

EINECS Number: None

Risk phrases: None required under current UK & EC legislation

Safety Phrases: None required under current UK & EC legislation
-----3. **Hazards** Not classified as dangerous
-----4. **First Aid Measures**

Eye contact: Irrigate with plenty of cold water.

Skin contact: Wash off with copious amounts of water.

Ingestion: If more than a few drops are swallowed give patient water to
drink. Do not induce vomiting and seek medical advice.
-----5. **Fire Fighting Measures:** Not considered flammable and does not constitute a fire hazard.

Extinguishing Media: Carbon dioxide, dry powder, sand, foam of water spray.

Protective Equipment for Fire-fighters: Standard
-----6. **Accidental Release Measures:** Contain spillages in sand or sawdust. Dispose of according to Local Regulations. If allowed to enter drains and/or water courses, alert Local Water Authority.
-----7. **Handling and Storage:** Do not store in areas where food and drink are taken.

SAFETY DATA SHEET

(Conforms to EC Directive 91/155/EEC)

8. Exposure Control and Personal Protection:

In accordance with good industrial practice handle using gloves/gauntlets and standard eye protection.

9. Physical and Chemical Properties

(Test Method)

Physical form:	Fluid
Colour:	Pale straw
Odour:	Bland
pH of aqueous solution:	N.A.
Boiling Point:	>150C
Melting Point:	N.A.
Viscosity:	3 cst @ 40oC
Flash Point:	>150C
Flammability solid/gas:	N.A.
Autoflammability:	>150C
Explosive properties:	N.A.
Oxidizing Properties:	Can assist the mild oxidation of copper & copper alloys
Vapour Pressure:	N.A.
Density:	0.870 – 0.890
Water solubility:	Insoluble.
Other solubility:	Soluble in hydrocarbon solvents.
Bulk density:	N.A.
Partition Coefficient octanol/water:	N.A.
Other data:	
Explosion Limits:	N.A.

10. Stability and Reactivity

Thermal decomposition:	Stable under normal conditions of use.
Hazardous reactions:	None under normal conditions of use.

11a. Toxicological Data

Oral:	Expected to possess a relatively low degree of acute oral toxicity. (LD 50 expected to be >2000 mg/kg)
Dermal:	Expected to be non-toxic by dermal route.
Inhalation:	N.A.

SAFETY DATA SHEET
(Conforms to EC Directive 91/155/EEC)

11b. Toxic Effects

Skin: Expected to be essentially non-irritating.

Eye: Expected to be essentially non-irritating.

12. Ecological Information

Biodegradation: No data

Fish Toxicity: No data.

Bacterial Toxicity: No data.

WGK Class: WGK 0 or 1, Self classification.

13. Disposal Conditions: Dispose of according to a recognised method of chemical waste disposal.

14. Transport Information

U.N. Number: N.A.

UN Name: Not assigned.

IMDG Code/Class: Non hazardous

ICAO/IATA (Air) Class: Non Hazardous

RID/ADR Class: Non hazardous

ADNR Class: Non hazardous

15. Regulatory Information

Occupational Exposure Limits: N.A.

16. Other Information:

High Performance Neat Cutting & Tapping Fluid.
