

AZTEC OILS LTD.
MATERIAL SAFETY DATA SHEET

LAST REV. DATE : 09/05/2005

SHEET 1 of

3

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY NAME

PRODUCT NAME	WHITE PETROLEUM JELLY
PRODUCT CODE	PETJEL
NAME OF MANUFACTURER / SUPPLIER	AZTEC OILS LTD. 29-33 Intake Rd Bolsover Chesterfield S44 6BB
TELEPHONE NUMBER	01246 823007
FAX NUMBER	01246 823014
EMERGENCY TELEPHONE NUMBER	01246 823007

2. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:-	R. PHRASES	CONCENTRATION	CLASSIFICATION
NONE		0.00 – 100.00	

3. HAZARDS IDENTIFICATION

MAIN HAZARDS	Not classified as hazardous
HEALTH EFFECTS – EYES	May cause slight transient irritation
HEALTH EFFECTS – SKIN	Repeated or prolonged contact may lead to dermatitis

4. FIRST AID MEASURES

FIRST AID - EYES	Wash out eye with plenty of water. Obtain medical attention if soreness or redness persists.
FIRST AID - SKIN	Wash skin with soap and water. If grease has been injected under the skin, seek Medical advice immediately.
FIRST AID - INGESTION	Do not induce vomiting. Obtain medical attention

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA	Use foam, dry chemical or carbon dioxide.
UNSUITABLE EXTINGUISHING MEDIA	Do not use water jet.
SPECIAL HAZARDS OF PRODUCT	This product may give rise to hazardous fumes in a fire.
PROTECTIVE EQUIPMENT FOR FIRE-FIGHTING	Wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS	Material can create slippery conditions underfoot.
SPILLAGES	Transfer into suitable containers for recovery or disposal.

AZTEC OILS LTD.
MATERIAL SAFETY DATA SHEET

LAST REV. DATE : 02/04/03

SHEET 2 of 3

PRODUCT : WHITE PETROLEUM JELLY

7. HANDLING AND STORAGE

**HANDLING
STORAGE**

Keep away from flame and strong oxidising agents
Storage temperature should be controlled to between 1 and 40 °C.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**ENGINEERING CONTROL MEASURES
HAND PROTECTION
EYE PROTECTION
BODY PROTECTION**

No specific measures necessary.
PVC gloves.
No specific measures necessary.
Normal work wear.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Semi solid white jelly
COLOUR	White
ODOUR	Odourless.
MELTING POINT (°C)	Melts above 50
FLASH POINT (PMCC) (°C)	Exceed 150.
SOLUBILITY IN WATER (KG/M3)	Insoluble.
DENSITY (KG/M3)	< 1 (Measured as kg/litre)
AUTO-FLAMMABILITY (°C)	Above 150

THESE PROPERTIES DO NOT CONSTITUTE A SPECIFICATION

10. STABILITY AND REACTIVITY

**STABILITY
CONDITIONS TO AVOID
MATERIALS TO AVOID
HAZARDOUS DECOMPOSITION PRODUCTS**

Stable under normal conditions.
No specific measures necessary.
Strong oxidising agents.
Combustion will generate: carbon monoxide and carbon dioxide.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Low order of acute toxicity.

AZTEC OILS LTD.
MATERIAL SAFETY DATA SHEET

LAST REV.DATE : 02/04/03
PRODUCT : WHITE PETROLEUM JELLY

SHEET 3 of 3

12. ECOLOGICAL INFORMATION

MOBILITY	The product is insoluble in water. If released to water the product will float. The product is poorly absorbed onto soils or sediments.
PERSISTENCE/DEGRADABILITY	The product is expected to be resistant to biodegradation.
BIO-ACCUMULATION	Product is not expected to bio-accumulate.

13. DISPOSAL RECOMMENDATIONS

PRODUCT DISPOSAL	Incineration or landfill. Dispose of in accordance with all applicable local and national regulations.
CONTAINER DISPOSAL	No specific measures necessary.

14. TRANSPORT INFORMATION

UN CLASS	Not classified.
ADR/RID – CLASS	Not classified.
IMDG – CLASS	Not classified.
IATA – CLASS	Not classified.

15. REGULATORY INFORMATION

LABELLING INFORMATION	No Statutory label required
R PHRASES	NONE.
S PHRASES	NONE.

16. OTHER INFORMATION

PRODUCT USE	For industrial use only. Lubricant.
EC LEGISLATION	EC Directive 91/155/EEC defining the laying down and detailed arrangements for the system of specific information relating to Dangerous Preparations Directive – 2001/58/EC. EC Directive 1999/45/EEC relating to the classification, packaging and labelling of dangerous preparations.

To the best of our knowledge, the information contained herein is accurate. Although certain hazards may be described we cannot predict that these are the only hazards, or combination of hazards, that may exist in a workplace. This MSDS, therefore, forms a component only of a risk assessment carried out by, or on behalf of, the user.