

AZTEC OILS LTD

HD Series 3 Engine Oils

Aztec HD Series 3 Oils are a range of diesel engine oils manufactured from solvent refined paraffinic base oils blended with detergent/dispersant additives to meet the required performance level and offering the following benefits:

- *High detergency reducing engine deposits.
- *High dispersancy keeps products of combustion in suspension.

Application:

Turbocharged and naturally aspirated diesel engines.

Petrol engines requiring performance level up to and including API SE.

Performance Level:

API CD/SE, CCMC D-2/PD1, Mil-L-2104D, Mil-L-46152, Allison C3, Caterpillar TO-2.

Typical Properties:

	HD Series 3			
	10w	20w	30	40
SAE Viscosity Grade	10w	20w	30	40
Specific Gravity @: 15.oC	0.873	0.878	0.885	0.892
Kinematic Viscosity mm ² /S				
@40oC	37.0	61.0	92.0	134.0
@100oC	6.1	8.2	10.7	13.9
Viscosity Index (VI)	108	100	98	98
Pour Point oC	-25	-22	-19	-19
Total Base Number mg KOH/gm	7.5	7.5	7.5	7.5
Sulphated Ash % wt	1.0	1.0	1.0	1.0

Health & Safety Please refer to the relevant health & safety data sheet, a copy of which is freely available to all of our customers